



CineMate[®] 120

home theater system

Owner's Guide | Guía del usuario | Notice d'utilisation

Important Safety Information

Please read this owner's guide carefully and save it for future reference.



The lightning flash with arrowhead symbol within an equilateral triangle alerts the user to the presence of uninsulated, dangerous voltage within the system enclosure that may be of sufficient magnitude to constitute a risk of electric shock.



The exclamation point within an equilateral triangle alerts the user to the presence of important operating and maintenance instructions in the owner's guide.



WARNINGS:

- To reduce the risk of fire or electric shock, do not expose this product to rain or moisture.
 - Do not expose this apparatus to dripping or splashing, and do not place objects filled with liquids, such as vases, on or near the apparatus. As with any electronic products, use care not to spill liquids into any part of the product. Exposure to liquids may create a failure and/or fire hazard.
 - Replace only with a AA (IEC LR06) alkaline battery (or batteries).
 - Do not place naked flame sources, such as lighted candles, on or near the product.
-



CAUTIONS:

- Do not make unauthorized alterations to the product; doing so may compromise safety, regulatory compliance, system performance, and may void the warranty.
 - Long-term exposure to loud music may cause hearing damage. It is best to avoid extreme volume when using headphones, especially for extended periods.
-



WARNING:

Contains small parts which may be a choking hazard. Not suitable for children under age 3.



WARNING:

This product contains magnetic material. Contact your physician if you have questions on whether this might affect the operation of your implantable medical device.

NOTES:

- The product label is located on the bottom of the console.
- Where the mains plug or appliance coupler is used as the disconnect device, such disconnect device shall remain readily operable.
- This product must be used indoors. It is neither designed nor tested for use outdoors, in recreational vehicles, or on boats.
- The speaker wire and interconnect cables included with the system are not approved for in-wall installation. Please check your local building codes for the correct type of wire and cable required for in-wall installation.



Bose Corporation hereby declares that this product is in compliance with the essential requirements and other relevant provisions of Directive 1999/5/EC and all other applicable EU directive requirements. The complete declaration of conformity can be found at: www.Bose.com/compliance

Important Safety Information

Important Safety Instructions

1. Read these instructions.
2. Keep these instructions.
3. Heed all warnings.
4. Follow all instructions.
5. Do not use this apparatus near water.
6. Clean only with a dry cloth.
7. Do not block any ventilation openings. Install in accordance with the manufacturer's instructions.
8. Do not install near any heat sources, such as radiators, heat registers, stoves, or other apparatus (including amplifiers) that produce heat.
9. Protect the power supply or cord from being walked on or pinched, particularly at plugs, convenience receptacles, and the point where they exit from the apparatus.
10. Only use attachments/accessories specified by the manufacturer.
11. Unplug this apparatus during lightning storms or when unused for long periods of time.
12. Refer all servicing to qualified service personnel. Servicing is required when the apparatus has been damaged in any way: such as power supply or cord is damaged; liquid has been spilled or objects have fallen into the apparatus; the apparatus has been exposed to rain or moisture, does not operate normally, or has been dropped.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Changes or modifications not expressly approved by Bose Corporation could void the user's authority to operate this equipment.

This device complies with part 15 of the FCC Rules and Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This Class B digital apparatus complies with Canadian ICES-003.

CAN ICES-3 (B) / NMB-3 (B)

This device complies with FCC and Industry Canada RF radiation exposure limits set forth for general population. It must not be co-located or be operating in conjunction with any other antennas or transmitters.

The temperature range of this product is 32°F (0°C) to 113°F (45°C).



This symbol means the product must not be discarded as household waste, and should be delivered to an appropriate collection facility for recycling. Proper disposal and recycling helps protect natural resources, human health and the environment. For more information on disposal and recycling of this product, contact your local municipality, disposal service, or the shop where you bought this product.

Important Safety Information

Names and Contents of Toxic or Hazardous Substances or Elements						
Toxic or Hazardous Substances and Elements						
Part Name	Lead (Pb)	Mercury (Hg)	Cadmium (Cd)	Hexavalent (CR(VI))	Polybrominated Biphenyl (PBB)	Polybrominated diphenylether (PBDE)
PCBs	X	O	O	O	O	O
Metal parts	X	O	O	O	O	O
Plastic parts	O	O	O	O	O	O
Speakers	X	O	O	O	O	O
Cables	X	O	O	O	O	O
O: Indicates that this toxic or hazardous substance contained in all of the homogeneous materials for this part is below the limit requirement in SJ/T 11363-2006.						
X: Indicates that this toxic or hazardous substance contained in at least one of the homogeneous materials used for this part is above the limit requirement in SJ/T 11363-2006.						

Please complete and retain for your records:

Serial numbers can be found on the Acoustimass® module's connector panel and on the packaging for the remote control.

Module serial number: _____


Remote serial number: _____


Console serial number: _____

Purchase date: _____

We suggest you keep your receipt with this owner's guide.

Blu-ray Disc™ and Blu-ray™ are trademarks of the Blu-ray Disc Association.

 **DOLBY** DIGITAL. Manufactured under license from Dolby Laboratories. Dolby and the double-D symbol are trademarks of Dolby Laboratories.

 **dts** Digital Surround. Manufactured under license under U.S. Patent #'s: 5,956,674; 5,974,380 and 6,487,535 & other worldwide patents issued & pending. DTS, the DTS Symbol and DTS + the DTS Symbol are registered trademarks & the DTS logos are trademarks of DTS, Inc. Product includes software. ©2010 DTS, Inc. All Rights Reserved.

HDMI is a trademark or registered trademark of HDMI Licensing LLC in the United States and other countries.

SoundTouch and the wireless note design are trademarks of Bose Corporation in the U.S. and other countries.

Wi-Fi is a registered mark of the Wi-Fi Alliance.

©2014 Bose Corporation. No part of this work may be reproduced, modified, distributed, or otherwise used without prior written permission.

Introduction

About your CineMate® 120 home theater system	7
System Features.....	7
Introducing SoundTouch™ from Bose®	7
Unpacking the system.....	8
Placement guidelines	9
Sample system placement	9

Setting Up the Acoustimass® Module

Attaching the rubber feet to the Acoustimass module	10
Connecting the Acoustimass module to power	11

Setting Up the Soundbar

Connecting the soundbar	12
Wall mounting the soundbar	12

Setting Up the Console

Connecting the console to your TV's HDMI ARC connector	13
TVs without an HDMI ARC connector	14
Use a secondary connection in the following configurations.....	14
Connecting the console to other sources.....	14
Connecting to non-HDMI compatible sources.....	15
Audio-only sources	15
Connecting the console to power.....	15

Starting Up the System

Installing the remote control's batteries	16
Powering on the system.....	16

Finishing Setup

Checking for sound.....	17
Changing the language on the console.....	17
Running the ADAPTiQ® audio calibration.....	18

Contents

Using the System

Remote control buttons.....	19
Programming the universal remote control	20
Consumer Electronics Control	20
Test your sources for CEC.....	21
Program the remote to control your source.....	22
Source selection	23
Select a source connected to the system.....	23
Select a source connected to your TV	23
Universal source buttons and console connectors.....	23
Adjusting the volume	24
Function buttons.....	24
Programming a non-Bose remote control.....	24

Getting System Information from the Display

Understanding messages on the display	25
Using the System menu.....	25
Error messages	27
Acoustimass® module status indicator	27

Care and Maintenance

Troubleshooting	28
If your console cannot find the Acoustimass® module.....	29
Factory reset the system	30
Reset a source button on the remote control.....	30
Service connectors on the Acoustimass module.....	30
Cleaning.....	31
Customer service.....	31
Limited warranty	31
Technical information.....	31

About your CineMate® 120 home theater system

The CineMate 120 system delivers spacious, detailed sound from one compact soundbar.

System Features

- Advanced Bose audio processing provides natural and lifelike sound.
- ADAPTiQ® audio calibration optimizes sound quality.
- Display provides access to system settings and information.
- HDMI™ connectivity allows easy setup and ensures high-quality audio from your connected sources.
- Supports Consumer Electronics Control (CEC).
- Programmable universal remote can control your TV, cable/satellite box and other connected sources.
- Hideaway wireless Acoustimass® module provides impactful bass sound.
- Soundbar can be mounted on the wall (kit available separately).
- Supports the SoundTouch™ wireless adapter (available separately).

Introducing SoundTouch™ from Bose®

With the SoundTouch™ wireless adapter (available separately), you can stream Internet radio, music services (where available) and your music library. If you have Wi-Fi® at home, you're ready to enjoy your favorite music in any room you want.


Key Benefits

- Enjoy wireless access to Internet radio, music services and your music library.
- Stream your favorite music easily with personalized Presets.
- Works with your existing Wi-Fi® network.
- Free SoundTouch™ app for your computer, smartphone or tablet provides more powerful control.
- Simply add additional systems at any time for a multi-room listening experience.
- Wide selection of Bose audio systems lets you choose the right solution for any room.

Introduction

Unpacking the system


Carefully unpack the carton and confirm that the following parts are included:




Acoustimass® module




Rubber feet




Console




Acoustimass power cord




Console power cord




HDMI cable



ADAPTiQ® headset




Soundbar



Speaker cable



Universal remote control
(batteries provided)



The appropriate power cords for your region are supplied.


Note: If part of the system is damaged, do not use it. Contact your authorized Bose® dealer or Bose customer service. Refer to the contact sheet in the carton.

Placement guidelines

To avoid wireless interference, keep other wireless equipment away from the system. Place the system outside of and away from metal cabinets, away from other audio/video components and away from direct heat sources.

Acoustimass® module	<ul style="list-style-type: none"> • Stand the Acoustimass module on its rubber feet along the same wall as your TV, or along any other wall in the front third of the room. • Choose a stable and level surface. Vibration can cause the Acoustimass module to move, particularly on smooth surfaces like marble, glass or highly polished wood. • Make sure there is an AC (mains) outlet nearby.
Soundbar	<ul style="list-style-type: none"> • Place the soundbar in front of your TV. • Do not place the soundbar inside a cabinet.
Console	<ul style="list-style-type: none"> • Place the console near your TV. Do NOT place the TV on top of your console. • Make sure there is an AC (mains) outlet nearby.
SoundTouch™ wireless adapter (available separately)	<ul style="list-style-type: none"> • Place the SoundTouch™ wireless adapter within 1–6 ft. (.3–1.8 m) of the console. • If you have the SoundTouch™ wireless adapter, you can begin set up. Refer to the SoundTouch™ wireless adapter's owner's guide for more information. <p>Note: Do not connect the adapter to the console until prompted by the SoundTouch™ app.</p>

Sample system placement




Setting Up the Acoustimass® Module

Attaching the rubber feet to the Acoustimass module


Attach the rubber feet to the Acoustimass module to protect your floor.

1. Turn the Acoustimass module upside down onto a soft surface to protect it from being damaged.
2. Attach the rubber feet to the bottom of the Acoustimass module.



3. Place the Acoustimass module on its feet.

Caution: Do not place the Acoustimass module on its front, back end, side or top when in use.




4. Remove all protective films. These may affect acoustic performance if left in place.

Setting Up the Acoustimass® Module

Connecting the Acoustimass module to power

1. Plug the power cord into the Power connector on the Acoustimass module.




2. Plug the power cord into an AC (mains) outlet.


Setting Up the Soundbar

Connecting the soundbar

1. Insert the two-pronged end of the speaker cable into the **Speaker Connections** connectors on the console.



2. Insert the other end of the speaker cable into the 10-pin connector on the soundbar.



Wall mounting the soundbar


You can mount the soundbar on a wall. To purchase the WB-120 Wall Mount Kit, contact your local Bose dealer or visit www.Bose.com

CAUTION: Do not use any other hardware to mount the soundbar.

Connecting the console to your TV's HDMI ARC connector


Use the Bose® HDMI cable to connect the console to your TV.

1. Disconnect your HDMI-connected sources, such as a cable/satellite box, DVD or Blu-ray Disc™ player or game system, from your TV.
2. Insert one end of the Bose® HDMI cable into the **TV** connector on the console.



3. Insert the other end of the HDMI cable into your TV's **HDMI** connector.

Note: Use your TV's HDMI connector labeled **ARC** or **Audio Return Channel** if available. If your TV does not have an HDMI ARC connector, see page 14.



Setting Up the Console

TVs without an HDMI ARC connector

If your TV does not have an HDMI ARC connector, you may need to make a secondary connection to the console with an optical, coaxial or analog stereo audio cable. Without this secondary connection, you may not hear audio from the Bose® system.

Use a secondary connection in the following configurations

- You are using internal sources (such as Internet applications or an over-the-air antenna).
- You are connecting sources to your TV.


Refer to your TV owner's guide for more information.

Tip: If your TV has IN and OUT audio connector panels, use audio **OUT** for your secondary connection.

Connecting the console to other sources

You can connect the console to other sources, such as a cable/satellite box, DVD or Blu-ray Disc™ player or game system with an HDMI cable (available separately). If your source is non-HDMI compatible, use different audio and video cables (see page 15).

1. Insert one end of an HDMI cable into your source's HDMI (OUT) connector.
2. Insert the other end of an HDMI cable into the appropriate HDMI connector on the console. For example, to connect a game system, connect an HDMI cable to the **GAME** connector.



Connecting to non-HDMI compatible sources

If your source is non-HDMI compatible, connect it to your TV using audio and video cables (available separately). Refer to your TV owner's guide for more information.

Tip: If your source has IN and OUT audio connector panels, use audio **OUT**.


Audio-only sources

If your audio-only device, such as a media or CD player, is non-HDMI compatible, connect it to the console's optical, coaxial or analog connector. You can use an optical, coaxial or analog cable (available separately).

Note: After connecting your audio-only source, you must set the optical, coaxial or analog input to the appropriate source. You can access these settings using the System menu (see page 25).

Connecting the console to power

1. Plug the power cord into the **Power**  connector on the console.




2. Plug the power cord into an AC (mains) outlet.

Starting Up the System

Installing the remote control's batteries

1. Slide open the battery compartment cover on the back of the remote control.




2. Insert the two provided AA (IEC-LR6) 1.5V batteries. Match the + and – symbols on the batteries with the + and – markings inside the compartment.
3. Slide the battery compartment cover back into place.

Powering on the system

Press  on the remote.


The console powers on.

The display defaults to **CBL SAT** for first time power on. Otherwise, the display defaults to your last used source.






Note: The system powers off after sixteen minutes of inactivity. You can disable AUTO OFF using the System menu (see page 25).


Checking for sound




1. Power on your TV.
2. If you are using a cable/satellite box or other secondary source, power on this source.
Tip: If your secondary source is connected to your TV, select the appropriate TV input. You may need to use a different remote.
3. Power on the system.
4. Press the appropriate source button.
5. Check if sound is coming from the soundbar.
Note: If you do not hear sound from the soundbar, see “Troubleshooting” on page 28.
6. Press  on the remote. Check that no sound is coming from the TV speakers.
Note: If you hear sound coming from your TV speakers, see “Troubleshooting” on page 28.


Changing the language on the console

Use the remote control to change the language on the console.

1. Power on the system.
2. Press  on the remote control.
3. Press  until **10 LANGUAGE**  appears on the display.



4. Press  and  to select your language.
5. Press .

Tip: Look for the  icon in the System menu if you select the wrong language.


Finishing Setup




Running the ADAPTiQ® audio calibration

The ADAPTiQ audio calibration customizes the sound of the system to the acoustics of your listening area by taking five audio measurements. To perform an audio calibration, you need 10 minutes when the room is quiet.

1. Put the ADAPTiQ headset on your head.


During the ADAPTiQ audio calibration, a microphone on the top of the headset measures the sound characteristics of your room to determine optimal sound quality.



2. Insert the ADAPTiQ headset cable into the  connector on the console.
 3. Press **SYSTEM** on the remote control.
 4. Press  until **14 ADAPTiQ** appears on the display.
 5. Press .
 6. Follow the voice prompts until the system completes the process.
 7. Unplug the ADAPTiQ headset from the console and store it in a safe place.
- Note:** If you move the system or any furniture, run ADAPTiQ again to ensure optimal sound quality.

Remote control buttons

Use the remote to control sources connected to your system, adjust the system volume, change channels, use playback functions, enable cable/satellite box functions and navigate the System menu.



Using the System


Programming the universal remote control

You can use the remote to control your TV, cable/satellite box, DVD or Blu-ray Disc™ player, game system, DVR or other auxiliary source.

Consumer Electronics Control

The system supports Consumer Electronics Control (CEC). CEC allows you to control multiple HDMI-connected sources without programming the remote. You can turn on/off CEC using the System menu (see page 25).

Your source may support CEC, but refer to it with a different name. Refer to your source owner's guide for more information.



Tip: You may need to use your source's system menu to enable CEC. Refer to your source owner's guide for more information.

Test your sources for CEC

Test each of your sources for CEC using the remote control.

Note: Your HDMI-connected source may not support CEC. Refer to your source owner's guide for more information.

1. Power off the Bose® system.
2. Prepare your source:
 - If you are testing your TV, power off your TV.
 - If you are testing another source, power off the source. Power on your TV.
3. Press the button for the source you are testing.



The source button glows. The source and system power on.






4. To ensure your source works properly with your remote control, press a variety of buttons that correspond with your source's functions.

If your source does not perform one of the functions, program the remote control (see page 22).

Using the System


Program the remote to control your source

If your source does not support CEC, you can program the remote to control your source.

1. Power on your source.
2. Locate the code for your source's brand in the *Universal Remote Device Codes* book (provided).
3. On the remote control, press and hold the appropriate source button until all six source buttons glow, then release.
For example, to program your TV, press and hold .
Only the appropriate source button glows.
4. On the number keypad, enter the code for your source's brand.
Note: If all six buttons blink three times, you entered an invalid code.
Repeat steps 3 and 4.
5. Press + on the volume button.
6. Test the source for basic functions:
 - **TV:** press the channel buttons. Press . The settings menu appears. Press ◀ and ▶ to navigate.
 - **Cable/satellite box:** press . The programming guide appears. Press ◀ and ▶ to navigate.
 - **DVD or Blu-ray Disc™ player:** press . The settings menu appears. Press ◀ and ▶ to navigate.
 - **Game system:** press ◀ and ▶ to navigate through your menu.
7. If your source responds to basic functions, press  to save your settings.

If your source does not respond

Use the remote control's code scanner to find the code for your source.

1. Press + on the volume button to try another code.
Note: If all six buttons blink three times, you have cycled through all codes for your source.
2. Test the source for basic functions (see step 6 in "Program the remote to control your source").
3. Repeat steps 1 and 2 until your source responds.
4. Press  to save your settings.

Note: Your source may not be compatible with universal remote controls. Refer to your source owner's guide for more information.

Source selection

You can switch between sources by pressing the appropriate source button on the remote control. Before you begin, program the remote to control your source (see page 22).

Select a source connected to the system

If your source is connected to the console and does not use CEC, follow this procedure to set the console to the appropriate mode and turn on the source.

1. Power on the system.
2. Press the button for the source you want to control.


The source button glows.


3. Press .


The source powers on.

Select a source connected to your TV

If your source is connected to your TV, follow this procedure to select the appropriate TV input.


1. Power on the system, your TV and the appropriate source.
2. Press  to select the correct input on your TV.

You may need to press  several times to select the TV input for the source.

On some TVs,  displays a menu. Use the remote control to choose the correct TV input and close this menu.

Universal source buttons and console connectors

The source buttons on your remote control correspond with the connectors on the back of the console. For example,  corresponds with the **BD-DVD** HDMI connector.


Your source buttons work with any source that is connected to the corresponding connector. If you have a secondary DVD or Blu-ray Disc™ player and connect it to the **CBL-SAT** connector, it can be programmed to work with .

If you are using the optical, coaxial, or analog connectors, you must set the input for the appropriate source. You can access these settings using the System menu (see page 25).

Using the System

Adjusting the volume

On the remote control:

- Press + to increase the volume.
- Press – to decrease the volume.
- Press  to mute or unmute the audio.

Note: If you hear sound coming from your TV, see “Troubleshooting” on page 28.

Function buttons

The red, green, yellow and blue buttons on the remote control correspond with the color-coded function buttons on your cable/satellite box or teletext functions.

- Cable/satellite box functions: refer to your cable/satellite box owner’s guide.
- Teletext functions: correspond with color-coded page numbers, headings or shortcuts on a teletext display.

Programming a non-Bose remote control

You can program a non-Bose remote control, such as your cable/satellite box remote, to control the system. Refer to your non-Bose remote control owner’s guide or cable/satellite website for instructions.

Once programmed, the non-Bose remote controls basic functions such as power on/off and volume.







Getting System Information from the Display



Understanding messages on the display

The display on the front of the console allows you to access the System menu and shows system information and icons.


Using the System menu

Use the System menu to adjust audio levels, turn on/off features (such as AUTO OFF), change the language, set the coaxial, analog and optical inputs for a particular source, run ADAPTiQ®, pair your Acoustimass® module with the console or factory reset the system.

1. Press  on the remote.
2. Press  and  to scroll through the System menu.
3. Press  and  to adjust the settings.
4. Press .


Display	System state
1 AUDIO COMP	Off: (Default) No change to audio track. Enhance dialogue: Increases the level of dialogue and sound effects at low volume settings while providing full audio impact at high volume settings. Smart volume: Reduces the range of volume levels in a movie soundtrack so the difference between extremely loud outbursts and soft sounds is less noticeable.
2 AUDIO/VIDEO SYNC	Adjusts the audio delay to synchronize audio and video.
3 HDMI-CEC	On: (Default) Enables CEC (see page 20). Off: Disables CEC.
4 AUTO OFF	Enable: (Default) The system powers off after sixteen minutes of inactivity (no sound coming from the system). Disable: The system will not automatically power off.
5 SIDE AUX	Audio in: (Default) Sets the  connector for an auxiliary source. Headphones: Sets the  connector as a headphones input. Note: If set to Headphones input and a cable is connected, the soundbar is muted. Disconnect your headphones when not in use.
6 BASS LEVEL	Adjusts bass level.
7 TREBLE LEVEL	Adjusts treble level.
8 CENTER LEVEL	Increases or decreases the level of dialogue for movies and TV.

Getting System Information from the Display

Display	System state
9 SURROUND LEVEL	NOT AVAILABLE.
10 LANGUAGE 	Changes the language on the console and ADAPTiQ®.
11 SET OPTICAL INPUT	Sets the optical connector to Auto/TV (Default), CBL SAT, BD DVD, GAME or AUX source.
12 SET COAXIAL INPUT	Sets the coaxial connector to Auto/TV (Default), CBL SAT, BD DVD, GAME or AUX source.
13 SET ANALOG INPUT	Sets the analog connector to Auto/TV (Default), CBL SAT, BD DVD, GAME or AUX source.
14 ADAPTIQ	Starts the ADAPTiQ audio calibration process.
15 PAIR ACOUSTIMASS	Reconnects the Acoustimass® module to the system.
16 FACTORY RESET	Sets the System menu and ADAPTiQ to the factory settings.

Getting System Information from the Display

Error messages



Display	System state
ERROR Cannot find Acoustimass	The Acoustimass® module is not connected to the console.
<SOURCE> No signal	The source is not connected to the console, or the source is connected to the console and powered off.
SIDE AUX Nothing connected	The source is not connected to the  connector on the console.
ERROR Call Bose	Call Bose® customer service. Refer to the contact sheet in the carton.


Acoustimass® module status indicator

The status indicator on the back of the Acoustimass module provides information on system activity.

Indicator activity	Acoustimass module state
Amber	Connected to the console.
Blinking amber	Disconnected from the console.
Slow blinking amber	Available to make a wireless connection to the console.
Red	System error.



Troubleshooting

Problem	What to do
No power	<ul style="list-style-type: none">• Secure the Acoustimass® module's and console's power cords.• Reconnect the Acoustimass module's and console's power cords firmly into an AC (mains) outlet.• Use the remote control to power on the system.• Factory reset the system (see page 30).
No sound	<ul style="list-style-type: none">• Unmute the system.• Increase the volume.• Plug the Acoustimass module and console into a live AC (mains) outlet.• Insert the HDMI cable into a connector on your TV labeled ARC or Audio Return Channel. If your TV does not have an HDMI ARC connector, use a secondary audio cable in addition to the HDMI cable (see page 14).• If using a secondary audio cable, insert the cable into a connector on your TV labeled Output or OUT, not Input or IN.• Secure all cable connections on the soundbar, TV and connected sources.• If your source is connected to your TV, select the correct TV input (see page 23).• Disconnect headphones when not in use.• If connecting your source through the  connector, enable Audio in using the System menu (see page 25).• If you are connecting headphones to the  connector, enable Headphones using the System menu (see page 25).• If you see the error message Cannot find Acoustimass, pair the Acoustimass module with the console (see page 29).• Factory reset the system (see page 30).
Sound is coming from your TV speakers	<ul style="list-style-type: none">• Insert the HDMI cable into a connector on your TV labeled ARC or Audio Return Channel (if available).• Turn off your TV speakers (refer to your TV owner's guide).• Decrease your TV volume to its lowest setting.
Remote control is inconsistent or does not work	<ul style="list-style-type: none">• Match the + and – symbols on the batteries with the + and – markings inside the compartment (see page 16).• Replace the battery (see page 16).• Press the volume button on the remote control and see if the correct source button flashes.• If using CEC:<ul style="list-style-type: none">- Point the remote control at the console.- Program the remote to control your source (see page 22).• If you have programmed the remote to control your source:<ul style="list-style-type: none">- Point the remote control at the appropriate source.- Ensure you have entered the correct code for your source's brand.- Program the remote with another code (see page 22).

Problem	What to do
Poor or distorted sound	<ul style="list-style-type: none"> • Remove all protective films from the system. • Secure all cable connections on the soundbar, TV, and connected sources. • If you see the error message Cannot find Acoustimass: <ul style="list-style-type: none"> - Plug in the Acoustimass® module. - Pair the Acoustimass module with the console (see “If your console cannot find the Acoustimass® module”). • If using the analog or  connector, decrease the volume on your source. • Factory reset the system (see page 30) and run the ADAPTiQ® audio calibration (see page 18).
Intermittent sound	<ul style="list-style-type: none"> • Secure all cable connections on the soundbar, TV, and connected sources. • Move system away from potential interference, such as a wireless router, cordless phone, television, microwave, etc.

If your console cannot find the Acoustimass® module

The Acoustimass module and console are paired at the factory. However, if you see the error message **Cannot find Acoustimass** on the display, perform this pairing procedure:

1. Unplug the Acoustimass module.
2. Press  on the remote control.
3. Press ▼ until **15 PAIR ACOUSTIMASS** appears on the display.
4. Press  .
Plug in Acoustimass appears on the display.
5. Plug the AC power cord into an AC (mains) outlet.
After the Acoustimass module connects to the console, **Pairing complete** appears on the display.

Care and Maintenance

Factory reset the system

To troubleshoot problems, reset the System menu and ADAPTiQ® to the factory settings.

1. Press **SYSTEM** on the remote control.
2. Press **▼** until **16 FACTORY RESET** appears on the display.
3. Press **5**.
The system resets.
4. Run the ADAPTiQ audio calibration (see page 18).

Reset a source button on the remote control


If you are experiencing problems with a source button on the remote control, reset the source button to the factory settings.

Note: After performing this procedure, your source button is in CEC mode.

1. On the remote control, press and hold the appropriate source button until all six source buttons glow, then release.
Only the appropriate source button glows.
2. On the number keypad, enter **0140**.

Service connectors on the Acoustimass module

The Service and Data connectors are for service use only. Do not insert any cables into these connectors.



Cleaning

- Clean the surface of the system with a soft, dry cloth.
- Do not use any sprays near the system. Do not use any solvents, chemicals, or cleaning solutions containing alcohol, ammonia or abrasives.
- Do not allow liquids to spill into any openings.

Customer service

For additional help, contact Bose® Customer Service. Refer to the contact sheet in the carton.

Limited warranty

Your system is covered by a limited warranty. Details of the limited warranty are provided on the product registration card that is in the carton. Please refer to the card for instructions on how to register. Failure to register will not affect your limited warranty rights.

The warranty information provided with this product does not apply in Australia and New Zealand. See our website at www.bose.com.au/warranty or www.bose.co.nz/warranty for details of the Australia and New Zealand warranty.

Technical information

Acoustimass® module

Power rating: 100-240V ~ 50/60Hz 150W

Console


Power rating: 100-240V ~ 50/60Hz 60W



715107-0010



©2014 Bose Corporation, The Mountain,
Framingham, MA 01701-9168 USA
AM715107 Rev. 00



ENGLISH

CAUTION: Refer to the owner's guide for safety-related information, and additional setup, speaker placement, and operating instructions.

Before you begin: Place the console, speakers, and Acoustimass® module.

1 Connect the Acoustimass module to power

- Connect the power cord into the module's **Power** connector.
- Plug the other end of the power cord into an AC (mains) outlet.

Note: The module has a wireless connection to the console.

2 Connect the soundbar to the console

- Insert the two-pronged end of the speaker cable into the console's **Speaker Connections** connectors.
- Insert the other end of the speaker cable into the 10-pin connector on the soundbar.

3 Connect the console to your TV and other devices

- Insert the HDMI™ cable into the console's **TV** connector.
 - Insert the other end of the cable into your TV's **HDMI** connector.
- Note:** Use your TV's **HDMI ARC** connector if available.
- Connect other devices to the console using HDMI cables.

4 Connect the console to power

- Insert the power cord into the console's **Power** connector.
- Plug the other end of the power cord into an AC (mains) outlet.

5 Power on the system

- Install the batteries into the remote control.
- Press **Power** on the remote control.

6 Change the language on the console

- Press **Menu** on the remote control. The System menu appears on the display.
- Press **Down** until **10 LANGUAGE** appears on the display.
- Press **Left/Right** to select your language. Press **Enter**.

7 Run ADAPTiQ® calibration

- Put the ADAPTiQ headset on your head.
- Insert the headset's cable into the **ADAPTiQ** connector on the console.
- Press **Menu** on the remote control. The System menu appears on the display.
- Press **Down** until **14 ADAPTiQ** appears on the display.
- Press **Enter**. Follow the voice prompts.

Troubleshooting

No or low sound from speakers

- Increase volume
- Unmute system
- Connect Acoustimass module's and console's power cords
- Power on system
- Fully insert all cables
- Connect devices using HDMI cables

Remote control does not work

- Install batteries
- Program remote control to work with TV

Sound coming from TV speakers

- Turn off your TV speakers
- Decrease TV volume to lowest settings

ESPAÑOL

PRECAUCIÓN: Consulte en la guía del usuario información sobre seguridad, configuración adicional, colocación de los altavoces e instrucciones de uso.

Antes de comenzar: Coloque la consola, los altavoces y el módulo Acoustimass®.

1 Conecte el módulo Acoustimass a la red eléctrica

- Conecte el cable de alimentación al conector **Power** del módulo.
- Enchufe el otro extremo del cable de alimentación a la toma de la red eléctrica de CA.

Nota: El módulo tiene una conexión inalámbrica con la consola.

2 Conecte el altavoz soundbar a la consola

- Inserte el extremo doble del cable del altavoz a los conectores **Speaker Connections** de la consola.
- Inserte el otro extremo del cable del altavoz al conector de 10 pines del altavoz soundbar.

3 Conecte la consola a su televisor y a otros dispositivos

- Inserte el cable HDMI™ en el conector **TV** de la consola.
 - Inserte el otro extremo del cable en el conector **HDMI** de su televisor.
- Nota:** Utilice el conector **HDMI ARC** de su televisor, si está disponible.
- Conecte los otros dispositivos a la consola mediante cables HDMI.

4 Conecte la consola a la alimentación

- Inserte el cable de alimentación en el conector **Power** de la consola.
- Enchufe el otro extremo del cable de alimentación a la toma de la red eléctrica de CA.

5 Encienda el sistema

- Introduzca las pilas en el control remoto.
- Pulse **Power** en el control remoto.

6 Cambie el idioma de la consola

- Pulse **Menu** en el control remoto. Aparecerá en la pantalla el menú Sistema.
- Pulse **Down** hasta que aparezca **10 IDIOMA** en la pantalla.
- Pulse **Left/Right** para seleccionar su idioma. Pulse **Enter**.

7 Ejecute la calibración ADAPTiQ®

- Colóquese los auriculares ADAPTiQ.
- Inserte el cable de los auriculares en el conector **ADAPTiQ** de la consola.
- Pulse **Menu** en el control remoto. Aparecerá en la pantalla el menú Sistema.
- Pulse **Down** hasta que aparezca **14 ADAPTiQ** en la pantalla.
- Pulse **Enter**. Siga las indicaciones de voz.

Resolución de problemas

No hay sonido o el volumen es bajo en los altavoces

- Suba el volumen
- Recupere el sonido del sistema
- Conecte los cables de alimentación del módulo Acoustimass y de la consola
- Encienda el sistema
- Inserte completamente todos los cables
- Conecte los dispositivos utilizando cables HDMI

El control remoto no funciona

- Introduzca pilas en el control remoto
- Programe el control remoto para que funcione con el televisor

El sonido procede de los altavoces del televisor

- Apague los altavoces del televisor
- Baje el volumen del televisor a su nivel más bajo

FRANÇAIS

ATTENTION: Reportez-vous à la notice d'utilisation pour obtenir des informations concernant la sécurité et le placement des enceintes, ainsi que des instructions de fonctionnement et d'installation supplémentaires.

Avant de commencer : placez la console, les enceintes et le module Acoustimass®.

1 Raccordez le module Acoustimass à la prise secteur

- Raccordez le cordon d'alimentation au connecteur **Power** du module.
- Branchez l'autre extrémité du cordon à une prise secteur.

Remarque : Le module possède une fonctionnalité de connexion sans fil à la console.

2 Raccordez la barre de son à la console

- Insérez l'extrémité à deux fils du câble d'enceinte aux connecteurs **Speaker Connections** de la console.
- Insérez l'autre extrémité du câble d'enceinte dans le connecteur à 10 broches de la barre de son.

3 Raccordez la consola au téléviseur et aux autres appareils

- Insérez le câble HDMI™ dans le connecteur **TV** de la consola.
 - Insérez l'autre extrémité du câble dans le connecteur **HDMI** de votre téléviseur.
- Remarque :** Utilisez le connecteur **HDMI ARC** de votre téléviseur si celui-ci est disponible.
- Raccordez les autres appareils à la consola à l'aide de câbles HDMI.

4 Raccordez la consola à la prise secteur

- Insérez le cordon d'alimentation dans le connecteur **Power** de la consola.
- Branchez l'autre extrémité du cordon à une prise secteur.

5 Mise sous tension du système

- Installez les piles dans la télécommande.
- Appuyez sur la touche **Power** de la télécommande.

6 Modifiez la langue sur la consola

- Appuyez sur la touche **Menu** de la télécommande. Le menu Système s'affiche.
- Appuyez sur la touche **Down** jusqu'à ce que l'indication **10 LANGUAGE** s'affiche.
- Appuyez sur la touche **Left/Right** pour sélectionner votre langue. Appuyez sur la touche **Enter**.

7 Exécutez l'étalonnage ADAPTiQ®

- Placez le casque ADAPTiQ sur votre tête.
- Insérez le câble du casque dans le connecteur **ADAPTiQ** de la consola.
- Appuyez sur la touche **Menu** de la télécommande. Le menu Système s'affiche.
- Appuyez sur la touche **Down** jusqu'à ce que l'indication **14 ADAPTiQ** s'affiche.
- Appuyez sur la touche **Enter**. Suivez les instructions vocales.

Résolution des problèmes

Absence de son ou son faible provenant des enceintes

- Augmenter le volume
- Restaurer le son du système
- Raccorder les câbles d'alimentation du module Acoustimass et de la consola
- Mettre le système sous tension
- Insérer correctement tous les câbles
- Raccorder les appareils à l'aide de câbles HDMI

La télécommande ne fonctionne pas

- Insérer des piles
- Programmer la télécommande de façon à ce qu'elle contrôle le téléviseur

Son provenant des haut-parleurs du téléviseur

- Désactiver les haut-parleurs du téléviseur
- Régler le volume du téléviseur sur le niveau le plus faible

HDMI is a trademark or registered trademark of HDMI Licensing LLC in the United States and other countries.

© 2014 Bose Corporation. No part of this work may be reproduced, modified, distributed, or otherwise used without prior written permission.

HDMI es una marca comercial o una marca comercial registrada de HDMI Licensing LLC en Estados Unidos y otros países.

© 2014 Bose Corporation. Ninguna parte de este trabajo podrá reproducirse, modificarse, distribuirse o usarse de ninguna otra manera sin permiso previo y por escrito.

HDMI est une marque commerciale ou une marque déposée de HDMI Licensing LLC, aux USA et dans d'autres pays.

© 2014 Bose Corporation. Toute reproduction, modification, distribution ou autre utilisation, même partielle, de ce document est interdite sans autorisation écrite préalable.



715122-0010



Universal Remote Device Codes

Contents

TV 3

Cable-Satellite 4

DVD 6

Game 7

AUX 8

Universal Remote Device Codes

TV

3M	0980	CCE	0160	Elektra	1132	InFocus.....	0995
Aaxa	6132	Celera	1900	Element	3682	Initial	2017
Acer	1652	Champion.....	2647	Elite.....	0274	Insignia	2471
Admiral	0182	Changhong.....	1766	Emerson	0236	Inteq	0893
Advent	1754	Citizen.....	0046	Envision	0278	iRIS	4055
Affinity.....	6190	Claris	6616	Epson	2108	IRT	1830
Aiwa.....	0406	Coby.....	2056	ESA.....	2420	iSymphony.....	3863
Akai.....	0098	Commercial Solutions	2427	Fair Mate	6083	JCM	4630
Akura	0042	Conia	1806	Favi	7763	Jensen	0405
AOC.....	0137	Contex.....	4280	Fisher.....	0154	JVC	0053
Apex Digital	1550	Continental	4261	Fluid.....	4827	KDS	3383
Ario	7710	Coradir.....	4735	Fujimaro.....	2746	Ken Brown.....	2620
Astar	3127	Cornea.....	4957	Funai.....	0179	KLH.....	0408
Asus.....	4030	Craig	0161	Gateway	1168	Konka	1235
Atvio	6133	Curtis	1897	GE.....	0027	Lexus	6146
Audiosonic.....	0103	Curtis Mathes	0039	General Electric	1885	LG.....	0511
Audiovox	0105	Cytron.....	1594	GFM.....	4001	LodgingStar	4868
Auria	4770	Daewoo	0092	Gibraltar.....	0333	LXI	0148
Aventura	2561	Daytek	2024	GoldStar	0056	MAG	3384
B & O	5274	Dell	2064	GPX	1720	Magnasonic.....	0848
Bang & Olufsen	0118	Digital Projection Inc.	3563	Haier	1767	Magnavox.....	0054
Baysonic.....	0465	Disney.....	2440	Hallmark	0351	Marantz	0128
BenQ	2391	Dukane	7825	Hannspree	3236	Matsushita.....	0478
BGH.....	3478	Dumont.....	0256	H-Buster	5926	Maxent.....	2434
Blue Light	6152	Durabrand	2191	Hewlett Packard	1671	Megatron	0485
Blue Sky	0134	Dynex	3686	Hisense.....	2159	Memorex	0037
Britânia	5900	Electric Mirror	4894	Hitachi	0145	MGA	0155
Broksonic	0184	Electrograph	2534	HP.....	2271	Microsonic.....	4673
		Electrohome	0381	Hyundai	1206	Midland.....	0493
		Electron	1898	iLo.....	2464	Mintek.....	1788

Universal Remote Device Codes

Miray.....	4998	Portland.....	0582	Silo.....	5740	Vidikron.....	0814
Mitsubishi.....	0150	Prima.....	0586	Silo Digital.....	5977	Vidtech.....	0815
Mitsui.....	3847	Prism.....	0588	Sony.....	0000	Viewsonic.....	1805
Mx Onda.....	1629	Proscan.....	0883	Soundesign.....	0178	Viore.....	3579
NAD.....	0513	Proton.....	0031	Spectroniq.....	3385	VisionQuest.....	4494
Naoki.....	6147	Proview.....	2133	Speler.....	8195	VIZIO.....	2215
Naxa.....	3571	Pulsar.....	0599	Squareview.....	0706	Vuon.....	4421
NEC.....	0170	Pyle.....	2421	STI.....	6483	Waycon.....	1700
NetTV.....	2539	Pyle Home.....	5674	SunBriteTV.....	3117	Westinghouse.....	2258
New Acoustic Dimension.....	5601	Quasar.....	0055	Superscan.....	2222	White Westinghouse.....	0830
Nexus Electronics.....	4032	RCA.....	0047	Supersonic.....	2544	Wyse.....	2422
Nikko.....	0529	Realistic.....	0420	SVA.....	1813	Zenith.....	0017
Nimbro.....	4143	Runco.....	0632	Sylvania.....	0024		
Noblex.....	0534	Sampo.....	0032	Symphonic.....	0171		
Norcent.....	1838	Samsung.....	0060	Syntax.....	2432		
Nordmende.....	0537	Sansui.....	0067	Talent.....	3318		
NuVision.....	3355	Sanyo.....	0159	Tatung.....	0049		
Ölevia.....	5964	Sceptre.....	2541	TCL.....	2231		
Optimus.....	0546	Scotch.....	0855	Technics.....	0250		
Optique.....	6677	Scott.....	0309	Techwood.....	0750		
Orion.....	0549	Sears.....	0146	Teknika.....	0322		
Otic.....	2443	Seiki.....	6024	Telefunken.....	0757		
Panasonic.....	0051	Seiko Epson.....	5721	TMK.....	0736		
Panavox.....	4496	Seleco.....	0672	TNCi.....	1736		
PARK.....	4065	Semivox.....	0948	Tophouse.....	2157		
Philco.....	0030	Semp.....	0949	Tosaki.....	6145		
Philips.....	0081	Semp Toshiba.....	5722	Toshiba.....	0156		
Pioneer.....	0166	Serie Dorada.....	2906	TruTech.....	3444		
Planar.....	3573	Sharp.....	0093	TVS.....	2032		
Polaroid.....	2163	Sigmac.....	5138	Victor.....	0809		

Cable-Satellite

Access Communications.....	5025
Adams Cable TV.....	6386
ADB.....	1634
Air Link Communications.....	6659
Alcatel-Lucent.....	4817
Allegiance Communications....	7740
Amino.....	2125
Aquário.....	6186
Arion.....	3224
Armstrong.....	0083
Arris.....	4776
Arvig Communication Systems.....	5034
AT&T.....	0018
AT&T U-verse.....	7692

Universal Remote Device Codes

Atlantic Broadband.....	6171	Channel Master	0198	Evolution.....	2740	ISkyB	1219
ATMC.....	6389	Charter.....	4213	Exterity	4429	Jerrold	0003
AZ America.....	5128	ChoiceCable.....	6225	Fave TV.....	8005	JVC.....	0053
Azteca.....	3985	Cincinnati Bell.....	4848	Fidelity Communications.....	5048	Kaon	2465
Baja Broadband	5035	Cisco	3915	Fortec Star.....	1663	Kathrein	0411
Bell.....	5008	Claro	6221	Freesat.....	1164	KX.....	4009
Bell Aliant.....	8093	CMA Communications	6176	Frontier Communications	6172	Lemon	1242
Bell ExpressVu.....	1569	Cogeco	5028	General Communications.....	5049	Lumos Networks	5062
Bell Fibe TV	8078	ColbaNet	7592	General Instrument.....	0329	Massillon Cable	5055
Bell Satellite TV.....	8079	Comcast	1355	GOI	1704	Matanuska Telephone	
Bend Broadband	5036	Comporium.....	5046	Gold Box	1176	Association.....	5056
Bevcomm	6557	Consolidated		Google.....	6599	Mediacom.....	0482
Blue Ridge		Communications	5047	Gradiente.....	0338	Mediastream.....	8049
Communications	5037	Coolsat	3547	Grande Communications	5051	Megacable.....	6217
Bright House	4215	Coship	2364	Great Plains		MetroCast Cablevision	5057
brite-View	4520	Cox	4212	Communications	6180	Mi-Connection.....	6431
Broadstripe.....	5038	Dalvi.....	2410	Guest-Tek	3391	Midcontinent	
Buckeye Cable System	5039	Deuromedia	7683	GVT.....	7774	Communications	5059
Cable America.....	6181	Digeo	1678	Handan	2765	Mid-Hudson Cable	5058
Cable Axion Digitel	5027	Digital Tech	6203	Hawaiian Telcom	6917	Motorola	0504
Cable Magico	4826	DirecTV.....	1988	HickoryTech.....	5052	Movistar.....	4534
Cable One	4216	Dish Mexico.....	6215	Homecast	2612	Moxi.....	4777
Cablecom Mexico	6219	Dish Network.....	1989	HTS.....	0682	MTS	3524
Cablemas	6218	Dishpro	1785	Huawei.....	4700	Myrio.....	0479
Cablevision.....	4214	DMT	1749	Hughes Network Systems.....	0791	Nagra.....	3143
Canby Telcom.....	6182	Eagle Communications	6406	Humax	1200	NEOTION.....	2848
Captive Works	3209	EastLink	6228	iBahn	8414	NET.....	1636
Cass Cable	5040	Echostar	0280	i-Link.....	4852	Netsat	1302
CCAP	6375	Elsys	6185	Indovision	1210	NeuLion	8000
Century.....	0197	Embratel	4577	Inter Mountain Cable.....	5053	NewWave Communications	5060
CenturyLink	5042	Entone	3906	IPM	6121	Next Level.....	0943

Universal Remote Device Codes

Nighthawk 4428
 Norsat 0538
 Northland Communications 6173
 NU Telecom 6441
 Nuevo Siglo 6089
 Odofo 7984
 Oi TV 6031
 Omegasat 1319
 Openbox 3505
 Optimum 5063
 OrbiSat 6201
 Pace 0558
 Panasonic 0051
 Pansat 0878
 Paul Bunyan
 Communications 6179
 Philips 0081
 Pioneer 0166
 Pioneer Telephone 5064
 Prime 3964
 Prodea Systems 4818
 Qwest 7448
 RCA 0047
 RCN 4377
 Reach Broadband 7118
 Rogers 4314
 Sagem 1386
 Sagemcom 4858
 Samsung 0060
 SaskTel 2178
 SatHawk 4892

Scientific Atlanta 0008
 Semp 0949
 Semp Toshiba 5722
 Service Electric 5066
 Shaw 4315
 Shaw Direct 4816
 Shentel 5067
 Skitter.TV 5102
 Sky Brasil 7861
 Sky Mexico 4322
 SkyAngel 8496
 Skyview 3369
 Sogetel 4958
 Solomend 4893
 Sonicview 3993
 Source Cable 5029
 Star 1439
 Star Choice 0950
 Suddenlink 4217
 Supercanal 6222
 Supernova 1694
 Tbaytel 7650
 TDS 7482
 TDS Telecom 6724
 Technicolor 4758
 Technotrend 2228
 Tecsat 1466
 Telecentro 6223
 Telefonica 2406
 Televisa 1481

Telmex 6220
 Telus 4962
 Thomson 0771
 Time Warner 3602
 TiVo 1492
 Transparent Video Systems 4387
 TransVideo 7999
 TV Cable 6224
 TVA Digital 3525
 TVS Cable 7656
 UEC 2136
 Ultrasat 3557
 Verizon 1576
 Via Embratel 4578
 Vidéotron 5992
 ViewSat 3558
 Vivo 4204
 VTR 4965
 Wave Broadband 5070
 Wavevision 7664
 Wegener 3821
 WEHCO Video 6174
 Westman Communications 5030
 WideOpenWest 4436
 Windjammer Cable 6178
 Windstream 6175
 WOW! 8179
 Xfinity 8096
 Yes 1672
 Zenith 0017

Zinwell 1994
 Zito Media 6177
 ZTE 4702
 ZyXEL 3770

DVD

Accurian 2575
 Akai 0098
 Allegro 0311
 Amvox 8726
 Anthem 1031
 Anthem Statement 5250
 Apex Digital 1550
 Aspire Digital 2262
 Audio Authority 1689
 Audiovox 0105
 BBK 1055
 Bel Canto Design 2202
 Blaupunkt 0133
 Blue Parade 1710
 Blue Sky 0134
 Broksonic 0184
 California Audio Labs 0173
 Cambridge Audio 2145
 CineVision 1841
 Citizen 0046
 Coby 2056
 Contel 3253
 Cougar 6004

Universal Remote Device Codes

Curtis	1897	Kenwood	0417	Polk Audio	0647	Viore	3579
Daewoo	0092	KLH.....	0408	Presidian.....	3093	VIZIO.....	2215
Days	8712	Konik	8686	Proscan	0883	Vtrek	1893
Denon	0246	Lexicon.....	0433	RCA	0047	WB Electronics	4626
Digix	2441	LG.....	0511	RE-BL.....	4625	Xbox	1840
Diplomat	8683	Logitech.....	1655	Rio	1837	X-View	2990
Disney.....	2440	Magnavox.....	0054	RJTech.....	2556	Yamaha.....	0019
Durabrand	2191	Mallory.....	8713	Rotel	0630	Zenith	0017
Dynex	3686	Marantz	0128	Samsung	0060		
EletroVision.....	8729	Memorex	0037	Sansui.....	0067		
Emerson	0236	Microsoft	1756	Sanyo	0159		
Funai.....	0179	Mintek.....	1788	Schmartz	4004		
GE.....	0027	MXT	4522	Schneider	0665		
General Electric	1885	NAD	0513	Semp	0949		
GFM.....	4001	Naxa	3571	Semp Toshiba.....	5722		
Go Video.....	0334	Nell	8727	Sharp	0093		
GoldStar	0056	Nesa	1787	Sherwood	0180		
GPX	1720	New Acoustic Dimension	5601	Shinsonic.....	1769		
Greenhill	1692	NKS	8685	Solé	5978		
Grundig.....	0345	Nyko	3830	Sonic Blue	1715		
Harman/Kardon	0356	Ölevia.....	5964	Sony	0000		
Hitachi	0145	Onkyo	0102	Supersonic	2544		
Initial	2017	Oppo	2634	Sylvania	0024		
Insignia	2471	Optimus.....	0546	Symphonic	0171		
Intec.....	3138	Orion.....	0549	TCL.....	2231		
Integra	1842	Panasonic.....	0051	Technics	0250		
Irradio	1217	Philco.....	0030	Tectoy	6192		
JBL	0399	Philips.....	0081	Theta Digital	0770		
JVC.....	0053	Pioneer	0166	Toshiba	0156		
jWin.....	2072	Polaroid	2163	Urban Concepts	1695		

Game

A.C.Ryan	4453
ABS	2081
Access HD.....	3786
Accurian	2575
AirLink 101.....	4112
AL Tech.....	3216
Alienware	2082
Alpha Digital	4085
AMTC	4079
Apex Digital	1550
Apple	2414
Artec	3746
Asus.....	4030
Audio Authority.....	1689
AutumnWave	3437
Axonix.....	3341
Boxee	4583
Cable Electronics	5330
CASTi	3910

Universal Remote Device Codes


CE labs	3981	Howard Computers	2272	Northgate	2086	Systemax.....	2274
Centronics	4878	HP.....	2271	nSTREAMS.....	2013	TAD	6368
Ceton	8542	Hush	2499	Nyko	3830	Tagar Systems.....	2087
Channel Master	0198	iBUYPOWER	2090	OnAir Solution	3435	Tivax	4049
Coby	2056	iNet Access	5145	Panasonic.....	0051	Toshiba	0156
Coship	2364	Inkel	0391	Patriot.....	1338	Touch.....	2088
CyberPower.....	2083	Insignia	2471	PCT.....	5181	Venturer	1518
Daewoo	0092	Intec.....	3138	Philco.....	0030	Viewsonic	1805
Daytek	2024	Iomega.....	3872	Pinnacle Systems	1729	VIZIO.....	2215
Dell	2064	iView	4734	Pioneer	0166	Voodoo	2513
Digital Stream	3911	Kaleidescape.....	3215	Popcorn Hour.....	3862	WB Electronics	4626
Digiwave	3232	KWorld.....	2208	PrimeDTV	4828	Western Digital	4168
Dish Network.....	1989	LaCie	3201	RCA	0047	Winegard	0887
D-Link	2454	LG.....	0511	RE-BL	4625	Xbox	1840
DVICO.....	2607	Linksys	2151	Ricavision	2507	Xtreamer.....	4420
Echostar	0280	Logitech.....	1655	Roku	2457	Yamaha.....	0019
Elgato Systems	2608	Macro Image Technology	2175	Roomlinx	5149	Zenith	0017
Enseo.....	4170	Magnavox.....	0054	RTC	4879	Zentech	4091
Epson	2108	Media Center PC	2084	Samsung	0060	Zinwell	1994
Escient.....	1628	MediaGate	3627	Sasem	2508	ZT Group	2089
Firebird Systems.....	5022	Mediasonic	3433	Schmartz	4004	Zune	4530
Fusion.....	2748	Memorex	0037	Seagate	4466		
Fusion Research.....	3949	Micca.....	6593	Seiko Epson	5721		
Gateway	1168	MicroGEM	4084	Sherwood	0180		
GE.....	0027	Microsoft	1756	Sling Media.....	4273		
General Electric	1885	Mind	2085	Sony	0000		
Goodmind.....	0681	Minix	2198	Stack 9	2509		
Hauppage	1554	MyHD	2174	Streamzap	1999		
Hewlett Packard	1671	Netgear.....	2574	Sunkey.....	4449		
HomeWorx.....	8348	NiveusMedia.....	6523	Sylvania	0024		

AUX

Aiwa.....	0406
Altec Lansing.....	2069
Apple	2414
Arcam	0077
Audyssey	6131
Burmester.....	0869

Universal Remote Device Codes

California Audio Labs	0173	Matsui.....	0477	SAE.....	0633
Carver.....	0191	McIntosh.....	0480	Sansui.....	0067
Cary Audio Design.....	1987	MCS	0456	Scandyna	4027
CCE	0160	Memorex	0037	Simaudio	2007
Curtis Mathes	0039	Miro	1693	Sonance	3244
Denon	0246	Mission	0499	Sonic Frontiers	1431
DirectTV	1988	MTC.....	0185	Sony	0000
DKK	0872	Myryad.....	1104	Sylvania	0024
DLO	3211	NAD	0513	TAG McLaren.....	1800
DMX Electronics.....	1697	New Acoustic Dimension	5601	TAG McLaren Audio	5784
Garrard	0326	NSM	0516	Tascam	0743
Genexxa	0330	Olive	3342	Teac	0041
Harman/Kardon.....	0356	Onkyo	0102	Technics	0250
Hitachi	0145	Optimus.....	0546	Thorens.....	1489
Humax	1200	Panasonic.....	0051	Thule Audio	1490
i.Sound	6510	Parasound	0566	TiVo.....	1492
iHome	3595	Philips.....	0081	Wards	0187
iLive	3357	Pioneer	0166	Xitel.....	3593
Insignia	2471	Polk Audio	0647	Yamaha.....	0019
Integra	1842	Primare	2008	Zonda	0846
iPort	3031	Proceed	1606		
Jamo.....	2199	Pro-Ject.....	4641		
JVC.....	0053	Pro-Ject Audio Systems.....	5669		
Kenwood	0417	Proton.....	0031		
Klipsch.....	2005	QED	0884		
Krell	0860	Quad.....	0601		
Linn.....	0437	Quasar	0055		
Logitech.....	1655	RCA	0047		
Magnavox.....	0054	Realistic	0420		
Marantz	0128	Rotel	0630		



715330-0010

BOSE[®]
Better sound through research[®]

©2014 Bose Corporation, The Mountain,
Framingham, MA 01701-9168 USA
AM715330 Rev.00

Bose Corporation

GLOBAL SUPPORT REGIONS

United States

1-800-367-4008
owners.bose.com

Australia

1800 061 046
bose.com.au

Belgique/België

bosebelgium.be

Canada

1-877-650-2073
bose.ca

China

86 400 880 2266
bose.cn

Danmark

bose.dk

Deutschland

0800 2673 444
bose.de

España

bose-es.com

Europe

(Other Markets)
bose.eu

Finland

bose.fi

France

bose.fr

Hong Kong

852 2123 9000
bose.hk

Hungaria

bose.hu

India

1800 11 2673
boseindia.com

Ireland

bose.ie

Italia

800 83 22 77
bose.it

Japan

0570 080 021
bose.co.jp

Latin America

(Other Markets)
508 614 6000

Luxembourg

bose.lu

Mexico

001 866 693 2673

Nederland

bose.nl

New Zealand

0800 501 511
bose.co.nz

Norge

bose.no

Österreich

bose.at

Polska

bose.pl

Schweiz

bose.ch

Sverige

bose.se

Taiwan

886 2 2514 7977

United Arab Emirates

800 2673
bose.ae

United Kingdom

0800 279 7347
bose.co.uk

CORPORATE HEADQUARTERS

Bose Corporation
The Mountain, Framingham, MA 01701-9168 (USA)
global.Bose.com



722935-0010

©2014 Bose Corporation. CC014405 AM722935-0010_00

BOSE
Better sound through research®

OUR COMMITMENT TO YOU

We take great pride in designing each of our products with the goal of providing the highest- accuracy musical performance possible in the price range of that product. We strive to reproduce the musical sounds as closely as possible to those of the original performance. And we strive to avoid flashy sounds such as those associated with accentuated bass and/or treble frequencies. While those sounds may be initially attractive to the novice, they are not real and are not enduring. In addition, we use only the highest-quality parts and the latest assembly and quality control techniques to ensure the reliability and long life of our products.

Our reputation rests on our steadfast pursuit of this policy in music and entertainment systems for the home, the automobile, and businesses. At Bose, we are committed to investing in research that continually gives rise to new technologies for improving sound reproduction.

When you purchase any product from Bose, we encourage you to compare it, as we do, to competitive products for musical accuracy. We believe that this process will enhance your appreciation of the product you select.

With best wishes from all of us at Bose for many years of enjoyable listening.

BOSE CORPORATION, THE MOUNTAIN, FRAMINGHAM, MA 01701-9168 U.S.A.
TEL.: 508.879.7330 FAX: 508.766.7543 WWW.BOSE.COM



343108-0010



Warranty information inside
Register your product now

Contiene información sobre la garantía
Registre su producto ahora

Renseignements sur la garantie à l'intérieur
Enregistrez votre produit dès maintenant

Registre su producto.* Conozca toda la gama de servicios que su garantía le ofrece.

Registrarse en línea es fácil y rápido.
Global.Bose.com/register

Enlace directo para registrarse:

www.register.Bose.eu (*Europa*)
www.Bose.com/register (*EE.UU., Puerto Rico
e Islas Vírgenes de EE.UU.*)

www.Bose.com.au/warranty (*Australia*)
www.Bose.ca/register (*Canadá*)
www.Bose.co.nz/warranty (*Nueva Zelanda*)

Envíe cualquier correspondencia en relación con información de productos o los servicios de la Garantía limitada a la sede corporativa de la empresa en:

Registro del producto
Bose Corporation
The Mountain
PO Box 9168
Framingham, MA 01701-9168 EE.UU.

1-800-736-5076 (EE.UU.)
1-508-766-1000 (INTL) *Es posible que se apliquen cargos por la llamada. Tenga a mano el número de serie cuando realice la llamada.*

Los propietarios que vivan fuera de los Estados Unidos deben revisar la Guía del usuario o ir a Global.Bose.com para encontrar la dirección más cercana.

GARANTÍA LIMITADA

A quién cubre:
Esta garantía se extiende únicamente al comprador final original o a la persona que reciba el producto como regalo y no se extenderá a cualquier otra persona o beneficiario.

Qué se cubre/ Por cuánto tiempo:
A menos que un período de garantía diferente se explícite en la Guía del usuario provista con su producto Bose® por un período de 1 año (2 años en la UE.) [5 años para altavoces no eléctricos incorporados en el producto] a partir de la fecha de la compra minorista por parte del usuario final original, Bose garantiza que este producto, cuando se le entrega en su paquete original y en nueva condición, por parte de un revendedor autorizado por Bose y es utilizado en condiciones normales, no tiene defectos de fabricación, de materiales ni de producción.

Qué es lo que no se cubre:
Esta garantía no cubre defectos ocasionados por prácticas de uso o mantenimiento incorrectas o no razonables, el incumplimiento de las instrucciones de uso; accidentes; humedad excesiva; insectos; rayos; subidas de tensión; conexión a voltaje incorrecto; alteraciones o modificaciones no autorizadas del producto original; daños causados por embalaje o proceso de envío inapropiado; pérdida, daño o alteración de la información guardada; daños ocasionados por el uso con productos que no sean de Bose; productos que requieren de modificación o adaptación para permitir que se utilicen en cualquier país fuera del país para el que fueron diseñados,

fabricados, aprobados y/o autorizados, o reparación de productos dañados por estas modificaciones; y productos adquiridos de vendedores no autorizados.

Qué haremos:
Durante el período de garantía repararemos o sustituiremos, a nuestra discreción, las partes defectuosas en un período razonable de tiempo y sin cargo utilizando repuestos nuevos o rehabilitada.

Qué es lo que no haremos:
Pagar cargos por envío, seguros o transporte del producto de usted a nosotros, tasas de importación o impuestos.

Qué debe hacer para obtener el servicio de la Garantía limitada:
Devuelva el producto con el comprobante de compra emitido por un vendedor autorizado de Bose, realizando los siguientes pasos:

1. Contáctese con la compañía Bose en su país/ región (visite Global.Bose.com para obtener información de contacto en su país/región) a fin de obtener instrucciones específicas sobre devolución y envío;
2. Rotule y envíe el producto, con flete pago, a la dirección de la compañía Bose en su país; y
3. Coloque cualquier número de autorización para la devolución que sea necesario en forma visible y en la parte exterior del paquete. Los paquetes que no tengan un número de autorización de devolución, cuando sea necesario, serán rechazados.

Otras condiciones:
LAS DISPOSICIONES DE ESTA GARANTÍA LIMITADA REEMPLAZAN CUALQUIER OTRA GARANTÍA, YA SEA EXPRESA O IMPLÍCITA, ESCRITA U ORAL, INCLUYENDO CUALQUIER GARANTÍA DE COMERCIABILIDAD O ADECUACIÓN A UN FIN PARTICULAR. LA RESPONSABILIDAD MÁXIMA DE BOSE CORPORATION NO PUEDE EXCEDER EL PRECIO DE COMPRA REAL QUE USTED PAGÓ POR EL PRODUCTO. BAJO NINGUNA CIRCUNSTANCIA SERÁ BOSE RESPONSABLE POR LA PÉRDIDA, DAÑO O ALTERACIÓN DE INFORMACIÓN GUARDADA O POR DAÑOS ESPECIALES, INCIDENTALES, EN CONSECUENCIA O INDIRECTOS CUALQUIERA SEA LA CAUSA DE LOS MISMOS, INCLUYENDO SIN LIMITACIÓN, EL REEMPLAZO DE EQUIPOS Y PROPIEDADES Y CUALQUIER COSTO DE RECUPERACIÓN, PROGRAMACIÓN O REPRODUCCIÓN DE CUALQUIER PROGRAMA O INFORMACIÓN GUARDADA O UTILIZADA CON SU PRODUCTO BOSE. Esta garantía se anula en caso de que la etiqueta con el número de serie haya sido quitada o dañada.

Otros derechos legales:
Esta garantía limitada le otorga derechos legales específicos y es posible que también se le otorguen otros derechos que varían según los estados o países. Algunos lugares no permiten limitaciones en garantías implícitas o la exclusión o limitación por daños secundarios o resultantes, por lo que es posible que las limitaciones o exclusiones anteriores no se apliquen a usted.

Enregistrez votre produit.* Renseignez-vous sur la gamme complète de services offerts dans le cadre de notre garantie.

L'enregistrement en ligne est simple et rapide.
Global.Bose.com/register

Liens directs vers les sites d'enregistrement :

www.register.Bose.eu (*Europe*)
www.Bose.com/register (*États-Unis, Puerto Rico
et Îles Vierges des États-Unis*)

www.Bose.com.au/warranty (*Australie*)
www.Bose.ca/register (*Canada*)
www.Bose.co.nz/warranty (*Nouvelle-Zélande*)

Pour toute correspondance relevant d'une demande de renseignements au sujet de nos produits ou de nos services de garantie limitée, veuillez nous écrire à notre siège social, à l'adresse suivante :

Enregistrement de produits
Bose Corporation
The Mountain
PO Box 9168
Framingham, MA 01701-9168 États-Unis

1-800-736-5076 (États-Unis)
1-508-766-1000 (international) *Des frais peuvent s'appliquer. Veuillez avoir en main votre numéro de série lors de l'appel.*

Si vous résidez hors des États-Unis, consultez le guide de l'utilisateur ou le Global.Bose.com pour obtenir l'adresse postale la plus proche.

GARANTIE LIMITÉE

Bénéficiaire :
La présente garantie est uniquement valable pour le premier acheteur ou la personne ayant reçu le produit en cadeau et ne peut en aucun cas être étendue ou transférée à une autre personne.

Objet et durée de la garantie :
À moins qu'une durée différente ne soit indiquée dans le guide de l'utilisateur fourni avec le produit, Bose® garantit pendant une période d'un an (deux ans dans l'UE) [cinq ans pour tout haut-parleur non amplifié intégré au produit], à partir de la date d'achat au détail par le premier acheteur, que le produit est libre de tout vice de matériaux et de fabrication lorsqu'il est livré à l'état neuf, dans son emballage d'origine et par un détaillant autorisé Bose, et qu'il est utilisé dans des conditions normales.

Exclusions :
La présente garantie ne couvre pas : les défauts ou dommages résultant d'une utilisation ou d'un entretien inapproprié ou incorrect, du non-respect des directives d'utilisation, d'un accident, d'une humidité excessive, de la présence d'insectes, de la foudre, d'une pointe de courant électrique, d'un raccordement à un courant électrique d'une tension incorrecte, d'une altération ou d'une modification du produit, de procédures d'emballage ou d'expédition inappropriées; la perte, l'altération ou la détérioration de données informatiques; les dommages causés par l'utilisation avec un produit d'une marque autre que Bose; les modifications ou adaptations effectuées au produit pour qu'il soit utilisable dans un pays autre que celui pour lequel il a été conçu, fabriqué,

approuvé et/ou autorisé, de même que la réparation d'un produit endommagé par ces modifications; les produits achetés auprès d'un détaillant non agréé.

Notre engagement :
Au cours de la période de garantie, à notre seule discrétion, nous réparerons ou remplacerons toute pièce défectueuse dans un délai raisonnable, sans frais utilisant nouvel ou réparé les parties de remplacement.

Frais exclus :
La garantie ne couvre pas le paiement des frais d'expédition, d'assurance et de transport du produit vers notre adresse, ainsi que de toutes taxes et de tous droits d'importation ou autres.

Conditions de l'obtention des services de garantie limitée réparation :
Expédiez-nous le produit, accompagné de la preuve d'achat d'origine d'un détaillant Bose autorisé, en suivant les directives ci-dessous :

1. Communiquez avec l'entité Bose de votre pays ou région (consultez le site Global.Bose.com pour connaître les coordonnées de Bose dans votre pays ou région) pour obtenir les instructions de retour et d'expédition particulières;
2. Étiquetez et expédiez le produit, en port payé, à l'adresse fournie par l'entité Bose de votre pays ou région; et
3. Inscrivez de façon très visible sur l'extérieur de l'emballage tout numéro d'autorisation de retour nécessaire. Un envoi qui ne comporte pas de numéro d'autorisation de retour lorsque celui-ci est requis sera refusé.

Autres conditions :
LES CONDITIONS DE LA PRÉSENTE GARANTIE LIMITÉE REMPLACENT TOUTE AUTRE GARANTIE, EXPRESSE OU IMPLICITE, EXPRIMÉE PAR ÉCRIT OU ORALEMENT, Y COMPRIS TOUTE GARANTIE DE QUALITÉ MARCHANDE OU D'ADAPTATION À UN USAGE PARTICULIER. LA RESPONSABILITÉ MAXIMALE DE BOSE CORPORATION ÉQUIVAUT AU PRIX PAYÉ PAR LE CONSOMMATEUR À L'ACHAT DU PRODUIT. BOSE NE PEUT EN AUCUN CAS ÊTRE TENUE RESPONSABLE DE LA PERTE, DE L'ALTÉRATION OU DE LA DÉTÉRIORATION DE DONNÉES INFORMATIQUES, NI DE DOMMAGES PARTICULIERS, ACCESSOIRES OU INDIRECTS, QUELLE QU'EN SOIT LA CAUSE, Y COMPRIS, SANS RESTRICTION, LE REMPLACEMENT D'ÉQUIPEMENT ET DE BIENS ET TOUTS FRAIS DE RÉCUPÉRATION, DE PROGRAMMATION OU DE REPRODUCTION DE TOUT PROGRAMME OU DE TOUTES DONNÉES ENREGISTRÉES DANS LE PRODUIT BOSE OU UTILISÉS AVEC CELUI-CI. La présente garantie est annulée si l'étiquette portant le numéro de série est retirée ou altérée.

Autres droits :
La présente garantie limitée vous confère des droits particuliers selon la loi; vous pouvez aussi bénéficier d'autres droits qui varient selon votre pays ou région de résidence. Certains territoires ne permettant pas la limitation des garanties implicites ou l'exclusion ou la limitation des dommages indirects ou accessoires, il est donc possible que les limites ou exclusions ci-dessus ne s'appliquent pas à vous.

*En caso de que no registre su producto no se verán afectados sus derechos de garantía limitada.

*Le non-enregistrement du produit n'affecte aucunement vos droits en vertu de la garantie limitée.

Register your product* Learn about the full range of services your warranty provides.

• Registering online is quick and easy!

Global.Bose.com/register

To link directly to registration:

www.register.Bose.eu (Europe)

www.Bose.com/register (US, PR & USVI)

www.Bose.com.au/warranty (Australia)

www.Bose.ca/register (Canada)

www.Bose.co.nz/warranty (New Zealand)

Send any correspondence regarding product information or Limited Warranty services to our corporate headquarters at:

Product Registration

Bose Corporation

The Mountain

PO Box 9168

Framingham, MA 01701-9168 USA

1-800-736-5076 (US)

1-508-766-1000 (INTL) *Charges may apply.*

Please have your serial number available when you call.

Owners living outside the United States should check the Owner's Guide or Global.Bose.com for the nearest mailing address.

LIMITED WARRANTY

Who is covered:

This warranty is extended only to the original end-use purchaser or the person receiving the product as a gift, and shall not be extended to any other person or transferee.

What is covered/For how long:

Unless a different warranty period is stated in the Owner's Guide provided with your Bose® product, for a period of 1 year (2 years EU) [5 years for any non-powered speakers that may be incorporated into this product] from the date of retail purchase by the original end-use purchaser, Bose warrants that this product, when delivered to you in new condition, in original packaging, from a Bose authorized reseller and used in normal conditions, is free from any defects in manufacturing, materials and workmanship.

What is not covered:

This warranty does not cover defects resulting from improper or unreasonable use or maintenance; failure to follow operating instructions; accident; excess moisture; insects; lightning; power surges; connections to improper voltage supply; unauthorized alteration or modification of original condition; damages caused by inadequate packing or shipping procedures; loss of, damage to or corruption of stored data; damages caused by use with non-Bose products; product that requires modification or adaptation to enable it to operate in any country other than the country for which it was designed,

manufactured, approved and/or authorized, or repair of products damaged by these modifications; and products purchased from unauthorized dealers.

What we will do:

During the warranty period, we will, at our sole option, repair or replace (using new or refurbished replacement parts) any defective parts within a reasonable period of time and free of charge.

What we will not do:

Pay shipping, insurance or transportation charges from you to us, or any import fees, duties and taxes.

What you must do to obtain Limited Warranty Service:

Return product, with proof of purchase from an authorized Bose dealer, using the following procedures:

1. Contact the Bose organization in your country/region (visit Global.Bose.com for Bose contact information in your country/region) for specific return and shipping instructions;
2. Label and ship the product, freight prepaid, to the address provided by the Bose organization in your country; and
3. Place any necessary return authorization number prominently on the outside of the carton. Cartons not bearing a return authorization number, where required, will be refused.

Other conditions:

THE PROVISIONS OF THIS LIMITED WARRANTY ARE IN LIEU OF ANY OTHER WARRANTY, WHETHER EXPRESSED OR IMPLIED, WRITTEN OR ORAL, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. BOSE CORPORATION'S MAXIMUM LIABILITY SHALL NOT EXCEED THE ACTUAL PURCHASE PRICE PAID BY YOU FOR THE PRODUCT. IN NO EVENT SHALL BOSE BE LIABLE FOR LOSS OF, DAMAGE TO OR CORRUPTION OF STORED DATA, OR FOR SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR INDIRECT DAMAGES HOWSOEVER CAUSED INCLUDING WITHOUT LIMITATION THE REPLACEMENT OF EQUIPMENT AND PROPERTY, AND ANY COSTS OF RECOVERING, PROGRAMMING OR REPRODUCING ANY PROGRAM OR DATA STORED IN OR USED WITH YOUR BOSE PRODUCT. This warranty is void if the label bearing the serial number has been removed or defaced.

Other legal rights:

This limited warranty gives you specific legal rights, and you also may have other rights that vary from state to state or country to country. Some places do not allow limitations on implied warranties or the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you.

**Failure to register your product will not affect your limited warranty rights.*